

Our Product

The SparkCharge portable charging system is compact, powerful, ultra-fast, and modular. Our unit is the only portable level 3 charger on the market built to power electric vehicles without being tied to the grid, reliant on infrastructure, or requiring fossil fuels.

MOBILE CHARGING

Deliver range to EV owners anytime and anywhere they may need it.

POWERFUL

Up to 1 Mile per Minute Charging! 14x faster than Level 1 and 6x faster than Level 2.

MODULAR

Batteries can be stacked for simultaneous use allowing you to tailor the range you deliver.

COMPATIBLE

with CCS1.



100% GAS FREE

Nobody wants to charge their EV with a gas powered generator.

EASY RECHARGE

Battery units recharge in as little as 4 hours from any traditional power outlet.

DURABLE

Each unit is crafted of powder-coated metal and designed to withstand constant use and travel.

PORTABLE

Light enough to carry and can fit in the trunk of any car.

Each 3.5 kWh battery pack can hold up to up to 15 miles of range, depending on the vehicle. When stacked the batteries work together to deliver the maximum charge without having to continuously swap out batteries. With our portable DC Level 3 Fast Charger, charging electric vehicles has never been more flexible and convenient.

Spec Sheet




USA CHARGER MODULE



Output Voltage
150-500VDC



Output Current
(max continuous)
40 ADC



Dimensions
230x3 50x 600 mm
(9x1 3.7 x23.6 in)



Weight
23.2 kg (51 lbs)



Max Power
20kW



The information in this document is subject to change without notice and should not be construed as a commitment by SparkCharge Inc. SparkCharge assumes no responsibility for any errors that may appear in this document. In no event shall SparkCharge be liable for incidental or consequential damages arising from the use of this document or the software and hardware described in this document.

Spec Sheet




USA BATTERY MODULE



Total Energy
3.7 kWh



Power
20 kW (when using
2 or more)



Dimensions
230x3 50x6 0 0mm
(9x13.7 x2 3.6in)



Weight
33.4 kg (73.63 lbs)



Usable Energy
3.5 kWh



The information in this document is subject to change without notice and should not be construed as a commitment by SparkCharge Inc. SparkCharge assumes no responsibility for any errors that may appear in this document. In no event shall SparkCharge be liable for incidental or consequential damages arising from the use of this document or the software and hardware described in this document.

www.bateriasmadrid.com
info@bateriasmadrid.com
Tlf.91 656 98 35 / 625 55 28 17



baterías y cargadores industriales